



أرتـك تــريـديـنــخ اند مينتننس ذ.م.م R TECH TRADING AND MAINTENANCE W.L.L "Your partner in progress" Authorised 2020-2021 Purchasing Guide





CLEANING UP SPILLS SINCE 1985

1985 CENTRAL PENNSYLVANIA

New Pig is a US-based company that got its start in the Central Pennsylvania town of Tipton. Our company headquarters and manufacturing facilities are there to this day.

1987 ASIA

Two years after our company began, we introduced the product that kicked off the absorbents industry, our PIG Original Sock, into the Asian marketplace.

1993 MEXICO & LATIN AMERICA

We brought our DrainBlockers, SpillBlockers and our PIG Mat —which remains today the world's #1 absorbent mat — to distributors in Mexico and Latin America.

1993 EUROPEAN EXPANSION

In 1993, New Pig established its first European presence with an office and distribution facility in Glasgow, Scotland, serving the whole of the UK.

2006 WORLDWIDE PRESENCE

By 2006, we expanded our reach to over 100 countries! More than 300,000 industrial, commercial, retail and healthcare facilities worldwide are choosing PIG to solve their leak and spill problems.

TODAY

Our mission is to help you keep your workplace clean and safe. Our team knows and understands your local market and is proud to bring our products into new workplaces every day.

THE POWER OF PIG

As you browse through this catalogue, you'll notice a wide variety of the brand customers worldwide know and trust — PIG! Whether you're looking for our high-quality absorbents or prefer our economy PIG Essentials product line, there's a New Pig product for every need. Nobody beats the quality, engineering and performance of PIG.

✓ MARKET LEADERS

New Pig has been recognised as the world's leading manufacturer of leak and spill products since 1985. You can be sure you will get high-quality products that are workplace-proven.

TRUSTED EXPERTS

We've developed years of knowledge and expertise working with industries to help them make their workplaces cleaner, safer, and better. We are focused on providing the best solutions for our customers' leak and spill needs.

✓ FULL-SERVICE PROVIDERS

Our comprehensive product range is just one of the reasons why industries across the world look to us as a trusted supplier. New Pig has the answers to all your leak and spill needs.

✓ INNOVATORS

We've piled up dozens of product awards over the years, but our real measure of success comes from solving your problems. Our product developers take customer feedback into our laboratory and proceed to leak and spill, catch and contain, build and demolish until we create the perfect solutions for you.



CONTROL AND CONTAIN!

Store and secure your liquids on field-proven PIG products.

PIG PALLETS AND DECKS ARE BEST IN CLASS

We understand what you need and build it into every product. That's the PIG Quality Advantage. Our pallets and decks offer features you won't find anywhere else!



Unsurpassed Strength:

Every PIG Pallet and Deck is built to support the maximum load long-term. Even fully loaded, our products won't bow, buckle or break!



2 Thickest Grates on the Market:

Anti-slip structural grates on our Heavy-Duty Pallets add incredible strength - ours won't bend like cheaper alternatives!



3 Lowest Loading Height:

A low pallet height means less effort to load and unload drums safely on and off the pallet.






Proven Chemical Compatibility:

Our pallets and decks are compatible with every type of non-flammable liquid you need to store, whether it's corrosive, oily or anything in-between.

Rigorous Testing:

We subject all of our products to more punishment than you can ever dish out, so you can be sure that, when we say a pallet can stand up to a 4,000 kg. load, it can





120

TYPES OF CONTAINMENT: What type do you need?



PIG Spill Pallets

Heavy drums are no problem for the strongest pallets you can buy. See pages 122-123.



PIG Roll Top Hardcovers

Our best-selling covered pallets provide easy access and weathertight security. See pages 124-125.



PIG Spill Decks Tested and proven to be the strongest decks you can buy. Won't buckle or break. See pages 126-127.



PIG Collapse-A-Tainer Drive-in containment that sets up quickly anywhere you need it. See pages 128-130.

PIG Poly Spill Pallets Strong and economical.

These 100% polyethylene spill containment pallets are strong enough to support fully loaded steel drums. Resist UV rays, rust, corrosion and most chemicals.

May help comply with containment regulations.

PIG[®] Poly Spill Containment Pallets

SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #
73cm W x 135cm L x 41cm H	2 Drum	680kg	250 L	PAK605
135cm W x 135cm L x 31cm H	4 Drum	2267kg	250 L	PAK606
130cm W x 130cm L x 25cm H	4 Drum	2722kg	250 L	PAK210*

60

*Bestseller

NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, please contact your local distributor.

NOTE: PAK605 not recommended for long-term storage of poly drums.

Ż

CONTAI



PIG Poly IBC Units Low profile for easier dispensing.

Strong enough for long-term storage of IBCs. Transfers weight to load-bearing channels to maximise capacity.

May help comply with containment regulations.

PIG® Poly IBC Containment Units

	SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #
	157cm W x 157cm L x 66cm H	Standard	3856kg	1363 L	PAK735
	157cm W x 157cm L x 66cm H	w/ Bucket Shelf	3856kg	1363 L	PAK736
NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further a					

please contact your local distributo



PIG Heavy-Duty Pallets Won't bow or buckle. Guaranteed.

The strongest, most durable containment pallets you can buy. Can handle long-term storage of liquids with high specific gravities. Pallets can be moved whilst fully loaded with drums still in place. Add ramp for easy access.

May help comply with containment regulations.

PIG[®] Heavy-Duty Poly Spill Containment Pallets

Containment Panets				لنقا	
SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #	
102cm W x 102cm L x 30cm H	1 Drum	363kg	231 L	PAK987	
102cm W x 168cm L x 22cm H	2 Drum	2041kg	250 L	PAK604	
159cm W x 159cm L x 22cm H	4 Drum	4082kg	284 L	PAK672	
NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance,					

6.

please contact your local distributor.						
PIG [®] Loading Ramp			•			
SIZE	LOAD CAPACITY	USE ON PALLETS	ITEM #			
72cm W x 120cm L x 25cm H	317.5kg	22cm High	PAK734			



PIG Poly Deck with Pallet Jack Pockets

Transfer drums on this dripcatching deck. No forklift required!

Fork pockets are spaced to fit most pallet trucks; deck can be moved fully loaded with properly secured drums (straps not included). 908kg UDL capacity is strong enough to support two fully loaded steel or poly drums; PIG decks will never buckle or bow.



DIC® Poly Deck with Pallet Jack Pockets

PIG [®] Poly Deck with Pallet Jack Pockets							
SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #			
66cm W x 132cm L x 16.5cm H	2 Drum	908kg	83 L	PAK1020			
NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, NOTE: Loaded durus should be properly secured before moving.							

PIG[™] Steel Loading Ramp

PIG [™] Steel Loading F		P t	
SIZE	LOAD CAPACITY	USE ON PALLETS	ITEM #
91.4cm W x 83.8cm L	680.4kg	16.5cm High	PAK225





PAK1020

Two-section decking is supported by all-poly inner pedestals for superior load handling. Heavy-duty construction permits long-term stacked storage of two IBCs to save space. Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals. Textured grating holds a variety of IBC sizes.



147cm W 147cm W NOTE: If using the

World's best stuff for leaks, drips and spills® 122



PIG Heavy-Duty IBC Unit Our strongest unit holds over 5 tons.

Our containment unit test stand applies a downforce to simulate the stress of long-term tank storage. Our units pass with flying colours!

PIG[®] Heavy-Duty Poly IBC Spill Containment Unit

SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #		
V x 147cm L x 85cm H	With Drain	5443kg	1514 L	PAK1007		
V x 147cm L x 85cm H Without Drain 5443kg 1514 L PAK467						
his product with flammable liquids, please consider the regulations that apply to storage and handling of flammable						

Include and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, please contact your local distributor.

PIG ROLL TOP HARDCOVERS



LOAD YOUR DRUMS INTO OUR ROOMY ROLL TOP HARDCOVERS FOR ALL-WEATHER PROTECTION AND LIQUID CONTAINMENT.

- Roll top slides up for easy access to drum tops while the rest of the unit stays closed; store drums with pumps/funnels in place
- Low-profile pallet with sump catches leaks, drips and spills while keeping drum tops and accessories within reach
- Weather-resistant design prevents contaminants from entering stormwater; Heavy-duty construction allows unit to be lifted by a forklift with drums in place
- Low-density polyethylene (LDPE) with UV inhibitors resists UV rays, rust, corrosion and most chemicals

May help comply with containment regulations.



PAK901, PAK601 and PAK150 can be lifted by a forklift with drums in place. No need to unload them!





Setup is simple! Just load a drum on the pallet, drop sleeve over drum and attach roll top hardcover.

PAK150

PIG Single Drum Roll Top All-weather protection!

Three-piece design provides protected storage and liquid containment for a frequently accessed drum.

PIG® Single Drum Roll Top Hardcover 🗾 🖪						
SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #		
102cm W x 102cm D x 203cm H	1 Drum	363kg	231 L	PAK150		
OTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable quids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, ease contact your local distributor.						

171cm W NOTE: If using t



PIG 4 Drum Roll Top Store drums with pumps in place.

PIG® 4 Drum Roll Top Hardcover

164cm W x 157cm D x 201cm H 4 Drum

SIZE

Roll top slides up for easy access to drum tops whilst the rest of the unit stays closed. Keeps contaminants from stormwater.

STYLE

NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, please contact your local distributor.

LOAD CAPACITY

4082kg

SUMP CAPACITY

284 L

PIG[®] I

•

ITEM #

PAK901

164cm W NOTE: If using t liquids and the

CONTAINMENT

PIG Roll Top Hardcovers



PAK601

PIG 2 Drum Roll Top Roomy outdoor liquid containment.

Store drums with pumps or funnels in place; Low-profile pallet with sump catches leaks, drips and spills

PIG[®] 2 Drum Roll Top Hardcover

2 Drum Roll Top Hardcover 🗾						
SIZE STYLE LOAD CAPACITY SUMP CAPACITY ITEM #						
N x 105cm D x 188cm H 2 Drum 2041kg 250 L PAK601						
this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable						

liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance please contact your local distributo



PAK902

PIG IBC Roll Top Protect IBCs from the elements.

Provides protected storage and liquid containment for IBC units up to 132cm L x 132cm W x 135cm.

IBC Roll Top Hardcover						
SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #		
V x 157cm D x 244cm H 1 IBC 3632kg 1363 L PAK902						
this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance,						

please contact your local distributo

PIG SPILL DECKS




BUILD UP TO YOUR REQUIRED SUMP CAPACITY WITH OUR SUMP-SHARING DECKS.

- Patented flow-through sump design lets liquid pass from one sump to another; helps you meet containment regs
- Modular design features bulkhead fittings and predrilled ports to connect to other decks; ready to use as soon as they arrive
- Mix and match the sections you need to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections included
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access

May help comply with containment regulations.

HOW IT WORKS

Patented bulkhead fittings let liquids from leaking drums flow from one connected deck to the other.





PIG Modular Decks Create a custom drum storage area.

Modular spill deck system shares sump capacity to comply with containment regs. Mix and match sections to fit your space.

66cm W 66cm W 132cm W

NO NEED FOR SHARED SUMP CAPACITY? TRY OUR DRIP DECKS!



PIG Poly Drip Decks The strongest drip decks you can buy won't buckle or bow.

Low profile and easy to load or unload; pumps and funnels are easy to access. Moulded-in sump catches leaks, drips and spills, and textured grating adds traction and lifts out for sump access. Translucent white sidewalls allow easy visual inspection.

66cm V 66cm W 132cm V 85cm W



671

PIG® Modular Spill Decks - Polv

modulai opiii L	/00110	1019			
SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #	
N x 66cm L x 15cm H	1 Drum	680kg	42 L	PAK524	
V x 132cm L x 15cm H	2 Drum	1360kg	83 L	PAK529	
<i>N</i> x 132cm L x 15cm H	4 Drum	2722kg	167 L	PAK531	

PAK529

2 Drum

PAK531 4 Drum

NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance,

PIG[®] Poly Drip Decks

SIZE	STYLE	LOAD CAPACITY	SUMP CAPACITY	ITEM #		
W x 66cm L x 15cm H	1 Drum	680kg	42 L	PAK527		
V x 132cm L x 15cm H	2 Drum	1360kg	83 L	PAK565		
<i>W</i> x 132cm L x 15cm H	4 Drum	2722kg	167 L	PAK566		
W x 61cm L x 15cm H	Poly Loading Ramp			PAK726		

. NOTE: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, please contact your local distributo

To place an order, contact your authorised PIG Distributor

E.

PIG COLLAPSE-A-TAINERS



AFFORDABLE DRIVE-IN CONTAINMENT SETS UP FAST ANYWHERE YOU NEED IT.

- Durable, coated geomembrane resists chemicals, abrasion and tearing
- Folds to a compact size for easy handling and storage
- Ideal for use under storage tanks, tote tanks, pillow tanks, pallets loaded with drums and more; can be stowed in a vehicle for containment in remote locations
- One-piece design requires no additional parts or tools



Folds to a size that's easy to handle, carry and store.



Quick setup! Just pull out one support and the entire wall takes shape.

Patented one-piece design makes it easy to create drive-in

containment anywhere — no assembly required. Use under tanks, loaded pallets and more. Accessories protect system against wear

Need a custom size? Contact your Authorised PIG Distributor.

Conta 122cm 183cm 305cm

May help comply with containment regulations.

and abrasion.

PIG Collapse-A-Tainer

Create drive-in containment.

IF YOU'VE GOT A SMALL JOB, GO WITH COLLAPSE-A-TAINER LITE!



Durable and chemical resistant. No assembly required. Compact and easy to deploy. 20cm standard "step-over" height makes entrances and exits easy.

PIG[®] (

122cr 183cr Deck Suitable



Sides easily fold down to allow pallet jacks and forklifts to be driven into and out of containment.

PIG[®] Collapse-A-Tainer[®]

ainment System			<u>60</u>
SUMP SIZE	STYLE	SUMP CAPACITY	ITEM #
n W x 183cm L x 30cm H	Small	678 L	PAK791
n W x 244cm L x 30cm H	Medium	1359 L	PAK792
n W x 305cm L x 30cm H	Large	2831 L	PAK793

NOTE: Overall floor space required is 60cm more than sump dimensions listed

PIG Collapse-A-Tainer Lite Lightweight, easy to handle.

Collapse-A-Tainer Lite				
SIZE	STYLE	SUMP CAPACITY	ITEM #	
m W x 122cm L x 20cm H	Small	299 L	PAK720	
m W x 122cm L x 20cm H	Medium	451 L	PAK721	
for use with PAK721	•			
SIZE	ITEM #			
60cm W x 121cm L	PAK354			