



أرتـك تــريـديـنــخ اند مينتننس ذ.م.م R TECH TRADING AND MAINTENANCE W.L.L "Your partner in progress" Authorised 2020-2021 Purchasing Guide





# CLEANING UP SPILLS SINCE 1985

#### 1985 CENTRAL PENNSYLVANIA

New Pig is a US-based company that got its start in the Central Pennsylvania town of Tipton. Our company headquarters and manufacturing facilities are there to this day.

#### **1987 ASIA**

Two years after our company began, we introduced the product that kicked off the absorbents industry, our PIG Original Sock, into the Asian marketplace.

#### **1993 MEXICO & LATIN AMERICA**

We brought our DrainBlockers, SpillBlockers and our PIG Mat —which remains today the world's #1 absorbent mat — to distributors in Mexico and Latin America.

#### **1993 EUROPEAN EXPANSION**

In 1993, New Pig established its first European presence with an office and distribution facility in Glasgow, Scotland, serving the whole of the UK.

#### 2006 WORLDWIDE PRESENCE

By 2006, we expanded our reach to over 100 countries! More than 300,000 industrial, commercial, retail and healthcare facilities worldwide are choosing PIG to solve their leak and spill problems.

#### TODAY

Our mission is to help you keep your workplace clean and safe. Our team knows and understands your local market and is proud to bring our products into new workplaces every day.

# THE POWER OF PIG

As you browse through this catalogue, you'll notice a wide variety of the brand customers worldwide know and trust — PIG! Whether you're looking for our high-quality absorbents or prefer our economy PIG Essentials product line, there's a New Pig product for every need. Nobody beats the quality, engineering and performance of PIG.

#### ✓ MARKET LEADERS

New Pig has been recognised as the world's leading manufacturer of leak and spill products since 1985. You can be sure you will get high-quality products that are workplace-proven.

#### TRUSTED EXPERTS

We've developed years of knowledge and expertise working with industries to help them make their workplaces cleaner, safer, and better. We are focused on providing the best solutions for our customers' leak and spill needs.

#### ✓ FULL-SERVICE PROVIDERS

Our comprehensive product range is just one of the reasons why industries across the world look to us as a trusted supplier. New Pig has the answers to all your leak and spill needs.

#### ✓ INNOVATORS

We've piled up dozens of product awards over the years, but our real measure of success comes from solving your problems. Our product developers take customer feedback into our laboratory and proceed to leak and spill, catch and contain, build and demolish until we create the perfect solutions for you.



# **PROTECTING MORE THAN A DRAIN.**

Keep your water sources and environment clean with PIG.

# **BLOCKERS, DIKES, BERMS & FILTERS**

PIG-proven ways to protect drains and control liquids.





- Tacky bottom layer seals tight so no liquid seeps underneath

# **BUILD CUSTOM CONTAINMENT**

See pages 96–97

# FILTER POLLUTANTS FROM WATER **PIG Drain Filters**





# **COVER DRAINS**

# PIG DrainBlocker Drain Cover

• Seals tight to keep out unwanted liquids

• Won't rip, tear or stretch when you pick it back up

• Use for fast spill response or long-term outdoor deployment

without UV degradation

## See pages 92–93

# **CONFINE & CHANNEL SPILLS**

## **PIG SpillBlocker Dike**

• Flexible and formable to the shape of the spill

• Confines spills or channels washdown liquids without absorbing them

#### See pages 94–95

## PIG Build-A-Berm Barrier

• Configure a semipermanent barrier to fit your leak-prone areas • Pliable foam construction springs back to shape so you can roll wheeled equipment right in

• Big savings compared to building concrete curbs or cutting angle iron

• Capture sediment, trash and debris to keep drains from clogging • Available for drains of different sizes and shapes • Easy to install, maintain and remove

See pages 98-101

SPILL CONTROL



#### OUR TOUGHEST DRAINBLOCKER CAN TAKE WHATEVER YOUR PARKING LOT DISHES OUT.



SPILL CONTROL

PIG Drive-Over DrainBlocker

Punctures Stands up to debris and sharp objects that damage other covers.

Abrasion Won't wear down even when tyres track on dirt and gravel.

Tearing More tear resistance means it won't rip or shred.



UV & IR Light Made to take the baking sun in your car park.



Chemicals Resists many commonly used chemicals to keep drains secure.

# PIG Drive-Over DrainBlocker Drain Cover

Tough enough for tanker traffic.

Semipermanent drain protection made of patented rubber HogHyde Skin stands up to punctures, tearing and abrasion. Conforms to uneven surfaces and seals tightly.





\*Bestseller

Durable enough for driveovers! See the toughest, longest-lasting, and best-sealing covers on the market in action.

#### 60 PIG<sup>®</sup> Drive-Over DrainBlocker<sup>®</sup> Drain Covers

SIZE	FITS DRAINS UP TO	ITEM #
46cm W x 46cm L x 1cm H	30cm x 30cm	PLR300
61cm W x 61cm L x 1cm H	45cm x 45cm	PLR301*
76cm W x 76cm L x 1cm H	60cm x 60cm	PLR302
91cm W x 91cm L x 1cm H	75cm x 75cm	PLR303
107cm W x 107cm L x 1cm H	91cm x 91cm	PLR304
122cm W x 122cm L x 1cm H	106cm x 106cm	PLR305
137cm W x 137cm L x 1cm H	121cm x 121cm	PLR306
76cm W x 137cm L x 1cm H	161cm x 122cm	PLR309
46cm W x 152cm L x 1cm H	30cm x 137cm	PLR307
91cm W x 152cm L x 1cm H	76cm x 137cm	PLR308
*Bostsollor		Patent 8, 117, 686

Urethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local distributor. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and holes.



# THESE TOUGH COVERS PROTECT YOUR DRAINS — NO RIPS. NO TEARS. NO WORRIES!





**Tear Resistant** – Tougher than standard covers to resist ripping.



**Easy to Clean** – Dirt and grime won't stick to the surface.

**Round Covers** – Available in sizes for drains up to 61cm dia.

# **PIG DrainBlocker Drain Cover** Protects drains and seals tight.

Our patented two-layer design seals tight to protect drains and won't rip, guaranteed. Use this cover for quick spill response or long-term, outdoor deployment without worrying about degradation. The cover withstands prolonged exposure to diesel fuel and petrol, even when completely submerged.

PIG Drain Covers are reusable, easy to clean,

and come with a five year warranty.

#### \*Bestseller



**Chemical Resistant** – Stands up to long-term hydrocarbon exposure.





UV & IR Light Resistant – this cover is made for long-term outdoor use.



**Rectangular Covers** – Perfect for long or narrow drains.

# PIG® DrainBlocker® Drain Covers

with DuPont Elvaloy®		<b>6</b> 0
SIZE	FITS DRAINS UP TO	ITEM #
76cm W x 76cm L x 1.3cm H	61cm x 61cm	PLR402
91cm W x 91cm L x 1.3cm H	76cm x 76cm	PLR403*
107cm W x 107cm L x 1.3cm H	91cm x 91cm	PLR404
122cm W x 122cm L x 1.3cm H	107cm x 107cm	PLR405
137cm W x 137cm L x 1.3cm H	122cm x 122cm	PLR406
91cm W x 152cm L x 1.3cm H	76cm x 137cm	PLR408
Ext. Dia. 30cm x 1.3cm H	15cm Dia.	PLR412
Ext. Dia. 76cm x 1.3cm H	30cm Dia.	PLR430
*Desteeller		Patent 8.117.686

Urethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local distributor. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and holes.



# **PIG SpillBlocker Dike** Great for a small leak.

Exclusive New Pig formulation features a flexible, tacky bottom layer that seals tight to smooth surfaces and blocks liquids. Useful for surrounding leaky machinery. Reusable and washable, in hi-vis colour for safety. Built-in joints allow you to join as many sections as you need without extra parts.



Washable and reusable! Five year warranty.

PIG <sup>®</sup> SpillBlocker <sup>®</sup> Dike		E
SIZE	TYPE	ITEM #
6cm W x 3m L x 3.5cm H	Barrier	PLR212
Urethane Notice: Due to the nature of softer urethane, the physical to certain environmental conditions like temperature, humidity, and	UV radiation. Typical life expectancy is	5 years. Please inspect

the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local istributor. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and hole



# **PIG Rough Surface Dike** Stop spills on tarmac.

Dike has supertacky bottom layer that forms a liquidtight seal to rough surfaces and stops seepage. Lightweight and easy to handle; for one-time use. Includes connector and disposal bag.



#### One-time use. Five year warranty.

#### PIG<sup>®</sup> SpillBlocker<sup>®</sup> Rough Surface Dike

SIZE TYPE ITEM # 5cm W x 3m L x 6cm H Barrier PLR230 rethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure

to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local distributor. For optimum performance, ensure that the area surrounding your drain is free of debics, cacas and holes.



# **PIG SpillBlocker Dike** Quick deploy and easy to handle.

Fast protection when a spill is heading for your drain. Great for deeper pools of liquid. Built-in Connectors join sections. Add corner piece for right angles.



9cm W 10cm W 13cm W \*Bestseller

# **PIG Original SpillBlocker Dike** Great for small spills.

6cm height is great for fast protection when smaller spills are heading for your drain. Tacky bottom layer seals tight to smooth surfaces and blocks liquids. Confines and diverts fluids without absorbing them, making cleanup or reclamation simpler. Cleans easily with soap and water.



Washable and reusable! Five year warranty.

#### PIG<sup>®</sup> Original SpillBlocker<sup>®</sup> Dike

PIG <sup>®</sup> Original SpillBlocker <sup>®</sup> Dike					
SIZE	COLOUR	TYPE	ITEM #		
10cm W x 3m L x 6cm H	Black or Yellow	Barrier	PLR204*		
*Bestseller		-			

Urethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local distributor. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and holes.

#### Washable and reusable! Five year warranty.

#### PIG<sup>®</sup> SpillBlocker<sup>®</sup> Dikes

PIG® SpillBlocker® Dikes						
SIZE	UNIT	COLOUR	TYPE	ITEM #		
9cm W x 152cm L x 7.6cm H	2/Box	Black or Yellow	Barrier	PLR267*		
9cm W x 11.5cm L x 7.6cm H	1/Box	Black	Corner	PLR268		
10cm W x 152cm L x 11cm H	1/Box	Lime Green	Barrier	PLR253		
13cm W x 152cm L x 17cm H	1/Box	Lime Green	Barrier	PLR254		

Urethane Notice: Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please contact your local distributor. For optimum performance, ensure that the area surrounding your drain is free of debris, cracks and holes



**PIG SpillBlocker Dikes** 

PIG Build-A-Berm Barrier



# **PIG Build-A-Berm Barrier** Configure custom sizes.

PIG Build-A-Berm Barriers can be constructed into a semipermanent, high-visibility barrier that's exactly the size and shape you need — indoors or out. Pliable open-cell foam barrier springs back into shape after you walk or roll over it with light, wheeled equipment. A silicone sealant and vinyl fabric cement (not included) are both required for proper installation.





Remove rainwater and collected liquids from your Build-A-Berm layouts with this draining plug.

1

5cm High PIG® Build-A	-Berm®	Barrier
SIZE	UNIT	TYPE

JIZL	UNIT	11112	TILIVI #
14cm W x 457cm L x 5cm H	1/Box	Straight Section	PLR264*
14cm W x 17cm L x 5cm H	2/Box	Corner	PLR265
4cm W x 18.5cm L x 5cm H	2/Box	Vented Corner	PLR103
14cm W x 8cm L x 5cm H	2/Box	Wall End	PLR117

5cm High PIG <sup>®</sup> Barrier Draining Plug					
SIZE	UNIT	USE WITH	ITEM #		
14cm W x 25.4cm L x 5cm H	1/Box	Build-A-Berm Barrier	PLR289		
*Bestseller Patent 5,820,297					

#### \*Bestseller







**PLR283** Drive-over barrier **PLR108** 

# **PIG Drive-Over Build-A-Berm Barrier** Handles heavy traffic!

Provides semipermanent containment in high-traffic areas on concrete, asphalt or most sealed surfaces; for best results, use on a smooth, sealed surface. Berm compresses to approximately 6mm when driven over, then springs back to shape when vehicles pass. A silicone sealant and vinyl fabric cement (not included) are both required for proper installation.



Corner

14

PLR109

Wall end sits flush against the floor and a wall, curb, etc.





When used with standard Build-A-Berm Barriers (page 96), orange colour indicates area where drivers can enter and exit.

High PIG <sup>®</sup> Drive-Over Build-A-Berm <sup>®</sup> Barrier					
SIZE	UNIT	TYPE	ITEM #		
n W x 366cm L x 3.8cm H	1/Box	Straight Section	PLR514		
n W x 17.1cm L x 3.8cm H	2/Box	Vented Corner	PLR515		
n W x 15.2cm L x 3.8cm H	2/Box	Wall End	PLR516		
ligh PIG <sup>®</sup> Drive-Over Build-A-Berm <sup>®</sup> Barrier 🖬					
SIZE	UNIT	TYPE	ITEM #		
m W x 366cm L x 5cm H	1/Box	Straight Section	PLR283		
ntents: 6 Mounting Strips, 33 Anchors					

		5	
ntents: 6 Mounting Strips, 33 Anchors			
n W x 28.5cm L x 5cm H	2/Box	Vented Corner	PLR108
cm W x 8cm L x 5cm H	2/Box	Wall End	PLR109

#### Repair Material for PIG® Drive-Over Build-A-Berm® Barrier

	Durrier		
SIZE	UNIT	COLOR	ITEM #
0.2cm W x 304.8cm L	1/Roll	Orange	PLR526

and Barriers

Storm Drain Filters



# **PIG Round Drain Insert** Outfit your round drains with this insert to control oily runoff.

Capture trash, sediment, silt and hydrocarbons to keep storm drains from clogging and overflowing. Below-grate design fits round drains and stays intact in areas with high vehicle traffic. Excess fabric around grate can be trimmed for appearance or left in place for grip during changeouts.



# Storm Sentinel Drain Insert Heavy-gauge collars keep insert below the grate and above the catch basin.

Below-grate design presents no trip hazard and stays intact in areas with high vehicle traffic. Rugged 8-ounce polypropylene geotextile withstands weather and abrasion for long life. Pocket collects up to 61.2kg of wet sediment, trash and debris. Features three excess flow ports to prevent blockage during high water flow.

PIG <sup>®</sup> Round Dr	ain Inser	t		F
SIZE		FITS DRAINS UP TO	ABSORBS UP TO	ITEM #
121.9cm W x 91.4cm	n L 76.	2cm Dia. Round	5.3L	FLT116*
152.4cm W x 152.4cr	n L 137	.1cm Dia. Round	7.8L	FLT615

Storm Sentinel <sup>™</sup> Dr	ain Protection Ir	nsert
SIZE	FITS DRAINS UP TO	ABSORBS UP

SIZE	FITS DRAINS UP TO	ABSORBS UP TO	ITEM #
68.6cm - 73.7cm Dia. Round	68.6cm - 73.7cm Dia.	n/a	FLT704
68.6cm - 73.7cm Dia. Round	68.6cm - 73.7cm Dia.	.85 L	FLT705

#### \*Bestseller



# FilterSoxx

## Protect storm drains from sediment. pollutants and chemicals.

Organic compost/mulch filler achieves 97.2% total solid removal; also filters oils, diesel, gasoline and hydrocarbon sheens. Barrier provides effective erosion and sediment control with constant-flow filtration. Available in two options: PetroLoxx additive removes oily pollutants from stormwater and MetaLoxx additive captures and retains heavy metals such as copper, lead, zinc and chromium.

#### Filtreyy<sup>®</sup> FilterSoxy with Petrol oxy™

SIZE	FOR	ABSORBS UP TO	ITEM #	
12.7cm Dia x 1.55m L	Filters Oil, Debris & Sediment	8.5L	FLT710	
12.7cm Dia x 3m L	Filters Oil, Debris & Sediment	17L	FLT711	
Filtrexx <sup>®</sup> FilterSoxx with MetaLoxx <sup>™</sup>				
SIZE	FOR	ABSORBS UP TO	ITEM #	
12.7cm Dia x 1.55m L	m Dia x 1.55m L Filters Heavy Metals, Oil, Debris & Sediment		FLT717	
12.7cm Dia x 3m L	Filters Heavy Metals, Oil, Debris & Sediment	17L	FLT518*	
*Bestseller				



# **PIG Storm Drain Filter** Adjustable frame and 4-stage filtration guard your drains against oily runoff.

Easy, one-person job to install, maintain or remove. Four-stage filtration: Stormwater flows through drain grate onto fabric shelf (Stage 1), passes over filter ring (Stage 2) into collection bag (Stage 3) and over four sets of filter strips (Stage 4). Filter ring (patent-pending) channels water to centre of collection bag to prevent untreated water from escaping through overflow ports.

PIG <sup>®</sup> Storm Drain Fil	ter		et.
SIZE	FITS DRAINS UP TO	ABSORBS UP TO	ITEM #
50.8cm W x 50.8cm L x 61cm D	50.8cm x 50.8cm to 81.3cm x 81.3cm	3.8L	FLT006
58.4cm W x 86.4cm L x 61cm D	58.4cm x 86.4cm to 91.4cm x 121.9cm	4.7L	FLT007
	-		Patent Pending



# **PIG Storm Drain Filtei**

# A LOOK INSIDE OUR STORM DRAIN FILTER:

Fabric shelf starts removing pollutants

Hi-viz straps are easy to handle, easy to see.

Filter ring pulls oil from stormwater and channels runoff into collection bag.

> Grommet lets you attach optional filtration products

Adjustable frame holds filter in place.

Overflow ports prevent blockage.

Filter strips act like tentacles to remove hydrocarbons.

Sediment Drain Filters

PIG



The reusable Drain Filter is easy to remove to dispose of collected sediment or for periodic maintenance.

Integrated straps make positioning the Drain Filter in place an easy task — no need for rebar.

# **PIG Sediment Drain Filter** Collect debris and dirt to comply with regulations and protect drains.

Ideal for use in the construction industry and anywhere sediment collection is a concern. Constructed of a monofilament polypropylene that captures sand, dirt, sediment, trash, leaves, sticks and cigarette butts. Filters with overflow ports (FLT746, FLT748) allow excess water to release into drain during heavy flow or if filter is blocked; also provides an opening to collect samples of filtered stormwater.



Without Overflow Ports





# **PIG Stormwater Filter Sock** Keep your runoff free from pollutants.

Filter sock allows water to pass through as it removes oil, sediment, trash, debris and other pollutants from your stormwater runoff. Heavy Metal Sock (FLT822, FLT823) removes all of the above plus zinc, cadmium, chromium, lead and other dissolved metals. Patent-pending dual-chamber design: first chamber's filler pulls in hydrocarbons; second chamber is filled with stone ballast (FLT820, FLT821) or our special media blend (FLT822, FLT823) for two-stage filtration of heavy metals.

	PIG®	Stormwater	Filter	Socks
--	------	------------	--------	-------

FILTRATION	SIZE	ABSORBS UP TO		
Oil & Sediment	32.4cm W x 152.4cm L	8.5 L	F	
Oil & Sediment	32.4cm W x 3m L	17 L	F	
Heavy Metals, Oil & Sediment	32.4cm W x 152.4cm L	8.5 L	F	
Heavy Metals, Oil & Sediment	32.4cm W x 3m L	17 L	F	
Lease and the second	·	P	ater	

#### **PIG®** Sediment Drain Filters

Specify for FLT746 and FLT748: With or Without Overflow Ports			
SIZE	FITS DRAINS UP TO	MAX FLOW RATE	ITEM #
73.7cm W x 73.7cm L x 50.8cm H	71.1cm x 71.1cm	6,056 L/Min.	FLT746
73.7cm W x 96.5cm L x 50.8cm H	93.9cm x 71.1cm	8,517 L/Min.	FLT747
73.7cm W x 124.5cm L x 50.8cm H	121.9cm x 71.1cm	10,977 L/Min.	FLT748
96.5cm W x 124.5cm L x 50.8cm H	121.9cm x 93.9cm	13,248 L/Min.	FLT749

# SPILL CONTRO

# PIG Stormwater Filter Socks

# FOR DRAINS <u>AND</u> SOURCE **POLLUTANT REMOVAL**

Ideal for use around drains, dumpsters, oil containment areas, downspouts, stock piles, property perimeters, culvert pipes, washdowns and more. Create source-to-drain protection anywhere you need it!











